Engineering Specification

Job Name	Contractor
	Approval
Engineer	Contractor's P.O. No.
Approval	Representative

Cast Stainless Steel Screwed & Socket Weld End Y Strainers

Models: 863M-SS Screwed, Class 1500 864M-SS Socket Weld 865-SS Screwed, Class 2500 866-SS Socket Weld

Sizes: 1/2" - 2" (15 - 50mm)

Typical Service

- Used extensively to strain foreign matter from pipelines and provide economical protection for costly pumps, meters, valves, and other similar mechanical equipment.
- These are especially critical as weld debris is often present in the pipeline.
- Well suited for long service in high pressure and temperature applications.

Features

- Machined seats in both body and cap align and lock the screen in place to stop sediment bypass.
- Machined seats facilitate alignment and accurate reseating after servicing.

Construction

- Most are furnished with a removable bolted cap for easy maintenance
- NOTE: 1" and smaller 863M-SS and 864M-SS have screwed cap.
- Heavy duty, rugged bodies with extra heavy bore.

Self-Cleaning

 Self-cleaning is accomplished by opening the plug or valve connected to the blowoff outlet.

Blowoff Outlets

- Covers are furnished blind. Socket weld blowoff connection are available, consult factory.
- 1" and smaller 863M-SS and 864M-SS are furnished with NPT tapped blowoff.
- Sizes of tapping specified on next page.
- Not normally furnished with plug. Plug available, specify with order.





Model 863M-SS, 864M-SS

Model 865-SS, 866-SS

Pressure/Temperature - Non-Shock									
Model	Material	Rating							
863M-SS,	Stainless Steel	3600psi @-20°F to 100°F							
864M-SS		248.1 bar @ 37.78C							
		1525psi @ 1150°F							
		105.15 bar @ 621.11C							
865-SS,	Stainless Steel	6000psi @-20°F to 100°F							
866-SS		413.69 bar @ 37.78C							
		1970psi @ 1150°F							
		135.83 bar @ 621.11C							

Capacity

- Generously proportioned bodies.
- Open Area Ratio much greater than pipe size, ensuring low pressure drop.
- Minimum of 4 to 1 Open Area Ratio.

Screens

		STANDARE	(WATER)	STEAM RECOMMENDATION			
MODEL	SIZES	MATERIAL	OPENING	MATERIAL	OPENING		
All	1/2" - 2"	304SS	.062 perf	304SS	.045 perf		

NOTICE

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of this product.





Material

	863M-SS, 864M-SS, 865-SS, 866-SS									
Body	Stainless Steel ASTM A351 Gr. CF8M									
Cap	Stainless Steel ASTM A351 Gr. CF8M									
Gasket	316SS Graphite									


Pressure Drop

• See Pressure Drop Charts in Technical Data Section in the Mueller Steam Specialty Engineering binder.

A B F C C Model 863M-SS, 864M-SS

Dimensions and Weights

SI	SIZE DIMENSIONS WEIGHT										GHT				
A		Е	3	C		D		E		F					
						(NPT)						Screen Removal			
in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kgs.
	M-SS													1501	
1/2	15	329/32	99.2	3	76	1/4	6	_		_		33/4	95	2.25	1.02
3/	20	41/,	108	35/8	92	3/8	10	-	_	-	_	43/8	111	3.75	1.7
1	25	5	127	41/8	105	1/2	14	-	_	-	_	51/,	133	6.5	2.9
11/4	32	83/8	213	7°	178	CF	CF	_	_	-	_	73/,	197	22	10
11/2	40	83/8	213	7	178	CF	CF	_	_	_	_	73/,	197	22	10
2	50	95/16	237	73/8	187	CF	CF	_		_	_	9	229	30	13
	M-SS														
1/2	15	$3^{29}/_{32}$	99.2	3	76	1/4	6	3/8	10	7/8	21.7	3¾	95	2.25	1.02
3/4	20	41/4	108	35/8	92	3/8	10	1/2	_13	11/16	27	43/8	111	3.75	1.7
1	25	5	127	41/8	105	1/2	14	1/2	_13	15/16	33.8	51//	133	6.5	2.9
11/4	32	83/8	213	7	178	CF	CF	1/2	13	111/16	42.5	73/4	197	22	10
11/2	40	83/8	213	7	178	CF	CF	1/2	_13	115/16	48.6	73/4	197	22	10
2	50	95/16	237	73/8	187	CF	CF	5/8	16	23/8	61.1	9	229	30	13
865															
1/2	15	125/8	321	711/16	195	_		_		_		101/2	267	9	4
3/4	20	125/8	321	711/16	195		_	_		_		101/2	267	12	5.4
1	25	125/8	321	711/16	195		_	_		_		101/2	267	40	18
11/4	32	167/8	429	101/2	267		_	_		_		141/2	368	75	34_
11/2	40	167/8	429	10½	267			_		_		141/2	368	75	34
2	50	17	432	12½	318	_		_		_		16¾	425	200	90
866-		105/	004	711 /	405			2/		7/	04.7	401/	007		
1/2	15	125/8	321	711/	195			3/8	10	7/8	21.7	101/2	267	9	4
3/4	20	125/8	321	711/16	195			1/2	13	11/16	27	101/2	267	12	5.4
1	25	125/8	321	711/16	195			1/2	13	15/16	33.8	10½	267	40	18
11/4	32	167/8	429	101/2	267			1/2	13	111/16	42.5	141/	368	75	34
11/2	40	167/8	429	101/2	267			1/2	13	115/16	48.6	141/2	368	75	34
2	50	17	432	12½	318			″ ₈	_16	23/8	61.1	16¾	425	200	90_



Apply For Certified Drawings.

*CF = Consult Factory

Limited Warranty: Mueller Steam Specialty warrants each product to be free from defects in material and workmanship under normal usage for a period of one year from the date of original shipment. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge. This shall constitute the sole and exclusive remedy for breach of warranty, and the Company shall not be responsible for any incidental, special or consequential damages, including without limitation, lost profits or the cost of repairing or replacing other property which is damaged if this product does not work properly, other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemical, or any other circumstances over which the Company has no control. This warranty shall be invalidated by any abuse, misuse, misuse, misuseplication or improper installation of the product. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Any implied warranties that are imposed by law are limited in duration to one year.

Some States do not allow limitations on how long an implied warranty lasts, and some States do not allow the exclusion or limitation of incidental or consequential damages. Therefore the above limitations may not apply to you. This Limited Warranty gives you specific legal rights, and you may have other rights that vary from State to State. You should consult applicable state laws to determine your rights.



