For OEM Applications

Job Name	Contractor
Job Location	Approval
Engineer	Contractor's P.O. No.
Approval	Representative

LEAD FREE*

Series P777

Plastic Wye-Pattern Strainers

Sizes: 1/4" - 3/8"

Series P777 Plastic Wye-Pattern Strainers are designed to ensure protection to mechanical equipment from the destructive effects of dirt, scale and foreign objects. These 45° wye-pattern strainers are for OEM applications where space requirements are limited.

Features

- Very compact
- Corrosion-resistant
- O-ring sealed, quick clean out plug
- Standard 100 mesh stainless steel screen
- Optional screens available, consult local Watts Agent

Specifications

A plastic wye-pattern strainer shall be installed to protect mechanical equipment from dirt, scale and foreign objects where indicated on the plans. Strainer shall be corrosion-resistant and compact. Strainer shall be manufactured out of NSF approved plastic and come standard with 100 mesh stainless steel screen. Strainer shall be a Watts Series P777.

Pressure

Maximum Working Pressure: 300psi (21 bar) CWP


Materials

Body: NSF approved, glass-filled, Noryl® plastic Cleanout Plug: NSF approved glass filled Noryl® plastic

Screen: 304 stainless steel

O-ring: Buna-N





NOTICE

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of this product.

NOTICE

Inquire with governing authorities for local installation requirements


*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Noryl® is registered trademark of SABIC Innovative Plastics $^{\text{TM}}$.



Performance

Flow rates using standard 100 mesh screen



	*MICRONIC		WIRE Ø	WIDTH	%
MODEL	RETENTION	MESH	(IN.)	OPENING (IN.)	OPEN AREA
P777-40	400	40	.010	.016	36.0
P777-60	230	60	.0075	.009	30.5
P777-80	180	80	.0055	.007	31.4
†P777-100	140	100	.0045	.0055	30.3

^{*}Average particle retention for round particles.





ES-P777 0933 © 2009 Watts

[†]Standard 100 mesh screen.